




C. Earl Hunter, Commissioner

Promoting and protecting the health of the public and the environment.

PUBLIC NOTICE AMENDMENT REQUEST

The permittee for **P/N# OCRM-01-057-R, Richard Dority**, has requested an amendment to that issued permit. Specifically, a 5' wide access walkway will lead to a relocated 10' by 30' floating dock positioned north of the existing fixed pierhead. That same 5' wide walkway will provide access to the permitted 8' by 11' boatlift. The applicant also proposes to install a second 8' by 11' two-pile boatlift with a 4' by 90'8" L-shaped access walkway ebb side of the first boatlift, with the walkway being within 3' of the adjoining extended property line. The proposed amendment is for modifications to a private recreational use dock, on and adjacent to Steamboat Canal at Lot 3, Cedar Point Subdivision, James Island, Charleston County, South Carolina. **Portions of the revised configuration are requested under OCRM Enforcement Action No. 07C-028JH.**

Written comments will be received on this amendment request until September 22, 2008 at the address listed below. For further information please contact the project manager, Fred E. Mallett, at 843-953-0236.



September 12, 2008

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL



Ocean and Coastal Resource Management

Charleston Office • 1362 McMillan Avenue, Suite 400 • Charleston, SC 29405

Phone: 843-953-0200 • Fax: 843-953-0201 • www.scdhec.gov

OCRM-01-057-12

Assessment



I HEREBY STATE THAT TO THE BEST OF MY KNOWLEDGE, INFORMATION, AND BELIEF, THE SURVEY SHOWN HEREON WAS MADE IN ACCORDANCE WITH THE REQUIREMENTS OF THE SURVEYING STANDARDS MANUAL FOR THE PRACTICE OF SURVEYING IN SOUTH CAROLINA, AND MEETS OR EXCEEDS THE REQUIREMENTS FOR A CLASS A SURVEY AS SPECIFIED THEREIN. ALSO, THERE ARE NO UNRECORDED ENCUMBRANCES OR PROJECTIONS OTHER THAN SHOWN.

James Kelly Davis 9/8/08

JAMES KELLY DAVIS, R.L.S. NO. 9756

